

BEST AVAILABLE COPY

1. (Currently amended) A method of printing information by a network kiosk comprising the steps of:

(a) receiving a command to display a web page in response to user operation of the kiosk;

(b) ~~(a)~~ receiving a command to print information in a the displayed web page in response to user operation of the kiosk;

(c) ~~(b)~~ obtaining an address of the displayed web page by the kiosk;

(d) ~~(c)~~ determining a format for printing the information from the web page on receipt paper smaller than the web page using the address by the kiosk;

(e) ~~(d)~~ creating a script to print the information in the format by the kiosk; and

(f) ~~(e)~~ executing the script to cause a receipt printer of the kiosk to print the information on the receipt paper by the kiosk.

2. (Currently amended) The method as recited in claim 1, wherein step e ~~d~~ comprises the substeps of:

(e-1) ~~(d-1)~~ determining placeholders for the information; and

(e-2) ~~(d-2)~~ arranging the placeholders in the script in accordance with the format.

BEST AVAILABLE COPY

3. (Currently amended) The method as recited in claim 2, wherein step e ~~d~~ further comprises the substeps of:

(e-3) ~~(d-3)~~ determining text to be printed with the information; and

(e-4) ~~(d-4)~~ arranging the text in the script in accordance with the format.

4. (Currently amended) The method as recited in claim 2, wherein step e ~~d~~ further comprises the substeps of:

(e-3) ~~(d-3)~~ determining a graphic image to be printed with the information; and

(e-4) ~~(d-4)~~ arranging the graphic image in the script in accordance with the format.

5. (Currently amended) A method of printing information by a network kiosk comprising the steps of:

(a) receiving a command to display a web page in response to user operation of the kiosk;

(b) ~~(a)~~ receiving a command to print web information in ~~a~~ the displayed web page in response to user operation of the kiosk;

(c) ~~(b)~~ obtaining an address of the displayed web page by the kiosk;

(d) ~~(e)~~ determining a format for printing the web information from the displayed web page on receipt paper

BEST AVAILABLE COPY

smaller than the displayed web page using the address by the kiosk;

(e) ~~(d)~~ determining other information to be printed with the web information by the kiosk;

(f) ~~(e)~~ determining placeholders for the web information by the kiosk;

(g) ~~(f)~~ creating a script with the placeholders and the other information arranged in the format by the kiosk; and

(h) ~~(g)~~ executing the script to cause a receipt printer of the kiosk to print the web information and the other information on the receipt paper by the kiosk.

6. (Currently amended) A method of printing information by a network kiosk comprising the steps of:

(a) receiving a command to display a web page in response to user operation of the kiosk;

(b) ~~(a)~~ receiving a command to print web information in a the displayed web page in response to user operation of the kiosk;

(c) ~~(b)~~ obtaining an address of the displayed web page by the kiosk;

(d) ~~(c)~~ determining a format for printing the web information from the displayed web page on receipt paper smaller than the displayed web page using the address by the kiosk;

BEST AVAILABLE COPY

(e) ~~(d)~~ determining text information to be printed with the web information by the kiosk;

(f) ~~(e)~~ determining a store graphic to be printed with the web information by the kiosk;

(g) ~~(f)~~ determining placeholders pointing to a location of the web information by the kiosk;

(h) ~~(g)~~ creating a script with the placeholders, the text information, and the store graphic, all arranged in the format by the kiosk;

(i) ~~(h)~~ initiating execution of the script by the kiosk;

(j) ~~(i)~~ printing the text information and the store graphic in the format during execution of the script by a receipt printer of the kiosk;

(k) ~~(j)~~ obtaining the web information from the location during execution of the script by the kiosk; and

(l) ~~(k)~~ printing the web information in the format during execution of the script by the receipt printer of the kiosk.

7. (Currently amended) A network kiosk comprising:
a display for displaying a web page;
a receipt printer; and
a computer which receives a command to display the web page in response to user operation of the kiosk, receives a

BEST AVAILABLE COPY

command to print information in the web page in response to user operation of the kiosk, obtains an address of the web page, determines a format for printing the information on receipt paper smaller than the web page using the address, creates a script to print the information in the format, and executes the script to cause the receipt printer to print the information on the receipt paper.

8. (Currently amended) A network kiosk comprising:

a display for displaying a web page;

a receipt printer; and

a computer which receives a command to display the web page in response to user operation of the kiosk, receives a command to print web information in the a displayed web page in response to user operation of the kiosk, obtains an address of the displayed web page, determines a format for printing the web information on receipt paper smaller than the web page using the address, determining other information to be printed with the web information, determines placeholders for the web information, creates a script with the placeholders and the other information arranged in the format, and executes the script to cause the receipt printer to print the web information and the other information on the receipt paper.